

PATENT
Attorney Docket No. 36671-716.302

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s): K. BUECHLER
Serial Number: 10/697,351
Filing Date: October 29, 2003
Issued Patent No.: 7,824,611
Issued: November 2, 2010
Title: **Diagnostic Devices and Apparatus
for the Controlled Movement of
Reagents without Membranes**

CONFIRMATION NO: 7522
Group Art No. 1797

FAX RECEIVED
MAY 11 2011
OFFICE OF PETITIONS

**REQUEST FOR CERTIFICATE OF CORRECTION OF THE ISSUED PATENT
APPLICANTS MISTAKE (37 C.F.R. §3.81(b))**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
ATTN: Certificate of Correction Branch

Sir/Madam:

Applicant respectfully re-submits Request for Certificate of Correction to comply with the Office Communication dated April 18, 2011 under Rule 3.81(b).

It is noted that an error of minor nature or character appears in this U.S. Patent No. 7,824,611, issued November 2, 2010, due to a mistake on the part of the Applicant as more fully described below. The Patentee believes that correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination of the patent. A Certificate of Correction is therefore respectfully requested.

Attached hereto is Form PTO/SB/44.

07/18/2011 09:10 AM 04330014 232415 18697351
01 Ft:1464 138.00 DA

U.S. Patent No. 7,824,611
Request for Certificate of
Correction of the Issued Patent

MISTAKE ON THE PART OF APPLICANT:

Please change the name of the Assignee under (73) from Biosite, Inc., Waltham, MA (US) to Alere San Diego, Inc., San Diego, CA (US).

FEE AUTHORIZATION

The Applicant believe that there is no fee associated with this re-submission; however, the Commissioner is authorized to charge any additional fees which may be required, including petition fees, or credit any overpayment to Deposit Account No. 23-2415 (Docket No. 36671-716.302).

Respectfully submitted,

Dated: May 11, 2011

By: Anavelys Ortiz-Suarez
Anavelys Ortiz-Suarez
Reg. No. 63,535

WILSON SONSINI GOODRICH & ROSATI
650 Page Mill Road
Palo Alto, California 94304
Telephone: 650-493-9300
Customer No. 21971